

## PATENT ABSTRACTS OF JAPAN

(11)Publication number : 07-104500

(43)Date of publication of application : 21.04.1995

(51)Int.Cl. 603G 9/08

(21)Application number : 06-057298

(71)Applicant : CANON INC

(22)Date of filing : 28.03.1994

(72)Inventor : IMAI EIICHI  
SAKASHITA KIICHIRO  
KUKIMOTO TSUTOMU  
TAKAGI SEIICHI

## (54) MAGNETIC TONER FOR ELECTROSTATIC CHARGE IMAGE DEVELOPMENT

## (57)Abstract:

PURPOSE: To provide magnetic toner for developing an electrostatic charge image, having high cleanability, environmental stability, durability against the use of many sheets or the like.

CONSTITUTION: This toner features that magnetic toner particles containing 1 to 10 pts.wt. of polyalkylene having weight average molecular weight between 3000 and 80000 and containing 5 to 60wt.% of n-hexane extracted at a boiling point for 100 pts.wt. of a resin component, and 10 to 70 pts.wt. of magnetic powder (toner weight basis) are contained, together with non-magnetic inorganic fine powder treated with silicone oil, and that a coefficient of dynamic friction is between 0.20 and 0.50.

## LEGAL STATUS

[Date of request for examination] 05.04.1994

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number] 2675974

[Date of registration] 18.07.1997

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2000 Japanese Patent Office